

## organic herbicide for weed, moss & algae control





## 525 g/L NONANOIC ACID

SureFire SLAYER Organic Herbicide works effectively by coming into contact with the green parts of the plant. It acts on the foliage, causing it to quickly dehydrate and collapse. Results are soon seen as browning and wilting, usually within hours of application.

Surefire Slayer Organic Herbicide will control many weed species and is non selective, however more advanced or established weeds may only be suppressed and therefore require repeated application for full control. Suitable for use in orchards, vineyards & fallow soil.

SureFire SLAYER is suitable for treating algae, lichen, liverwort and moss in gardens, paths, rockeries, tiled roofs, walls, driveways to mention a few.

Always refer to the label for specific information prior to treatments. Avoid spray drift as with regular herbicides.

Container Carton sizes: quantity:

## 1 litre 5 5 litre 4 20litre units

Withholding Periods: No withholding period is necessary when product used as directed.

Situation	Weeds	Rate	Critical Comments
OUTDOOR AREAS Paths, Driveways, Gardens, around sheds, Amenity horticulture areas, Protected cropping situations, Around Nursery stock. Spot Spraying in Lawns and Turf GENERAL USES Including around buildings, Commercial and Industrial areas, Domestic and Public Service areas, Rights-of way, Bushland & Forests.	Seedling and young annual and perennial weeds and grasses including fat hen, potato weed, stinking roger, couch grass, chickweed, lambs tongue, peppercress, capeweed, common storksbill, clover. More advanced or established weeds may only be suppressed and require repeated application.	70 mL per litre of water	Spray to completely cover weed surface. Reapplication at around 7 days may be necessary if regrowth occurs. This product may damage lawn and turf when used as a spot spray. Perennial weed species may require repeated applications to obtain long term control. To control weeds in Protected cropping situations apply on each side of the crop row taking care not to allow spray to contact any of the crop foliage.
AGRICULTURAL AREAS Orchards and vineyards Fallow soil		Mix 7 litres per 100 litres water. Apply 900- 1400 L spray per ha	Apply as a band spray 400 mm wide on each side of the orchard or vine crop row. Apply at early vegetative stage of weeds. Best results are obtained at 4- 8 leaf stage when weed canopy is less than 15 cm in height. Established weeds may require more than one application. Repeat spray after 7 days if required. Spray over all weed foliage to ensure full foliage penetration and coverage. Partial foliage penetration or coverage will result in partial control.
Gardens, Paths, Rockeries, Tiled Roofs, Walls, Driveways, Around buildings, Spot Spraying in Lawns and Turf	Algae, Lichen, Liverwort, Moss	70 mL per litre of water	Spray to completely cover plant surface. For drives or heavy infestations, clean off by brushing after 3 days and reapply if necessary.



Pty Ltd

www.pctrural.com.au