CAUTION

9:16 AM

Page 1

6/25/09

KEEP OUT OF REACH OF CHILDREN READ SAFETY DIRECTIONS BEFORE OPENING OR USING



# **GLYPHOSATE 360**

### HERBICIDE

ACTIVE CONSTITUENT: 360 g/L GLYPHOSATE (present as the isopropylamine salt)

# GROUP HERBICIDE

Water soluble herbicide for non-selective control of most perennial and annual weeds as per the Directions For Use Table.

> IMPORTANT: READ THE ATTACHED LEAFLET BEFORE USING THIS PRODUCT

## **Contents 1 Litre**



HOLDINGS PTY LTD

APVMA Approval No: 63175/1L/0708

\*SUREFIRE is a registered trademark of PCT INTERNATIONAL PTY LTD (PCT Holdings Pty Ltd ABN 11 099 023 962) 1/74 Murdoch Circuit, Acacia Ridge QLD 4110 • http://pct.au.com CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

<del>(110mm x</del> 160ml

Surefire Glyphosate 1Ltr

09. 9:16 AM Page 2

#### PROTECTION OF CROP, NATIVE AND OTHER NON-TARGET PLANTS:

This product is non selective and may severely injure or kill desirable plants should the product come into contact with the foliage, green stems or fruit of such plants.

6/25/

DO NOT apply under weather conditions, or from spraying equipment, that may cause spray to drift onto nearby susceptible plants/crops, cropping lands or pastures.

DO NOT allow spray to contact any part of desirable plants.

DO NOT use prior to transplanting tomato seedlings.

#### **PROTECTION OF LIVESTOCK**

There is no withholding period for this product but removal of stock may be necessary to achieve efficacy. It is recommended that stock be removed from the area to be treated for 1 day after treatment of annual weeds and for 7 days after treatment of perennial weeds.

Certain plants (eg Soursob, Variegated Thistle) may be naturally toxic to stock. Where known toxic plants are present, do not allow stock to graze until complete browning of treated plants has occurred.

#### PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate dams, streams, rivers or waterways with the chemical or used containers. DO NOT apply to weeds growing in or over water. DO NOT spray across open bodies of water and DO NOT allow spray to enter water.

#### PRECAUTION

DO NOT store, mix or apply the product or spray solutions in unlined steel or galvanised containers as a highly flammable gas may form. Use stainless steel, brass, copper, aluminium, plastic or plastic lined, fibreglass containers or spray tanks.

**STORAGE AND DISPOSAL:** Store in the closed, original container in a cool, well-ventilated area. Do not store for prolonged periods in direct sunlight.

Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. If recycling, replace cap and return clean containers to recycler or designated collection point, If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt.

For refillable containers: Empty containers fully into application equipment. Close all valves and return to point of supply or designated collection point for refill or storage.

**SAFETY DIRECTIONS:** Product will irritate the eyes and skin. Avoid contact with eyes and skin. When preparing product for use, wear elbow-length PVC gloves and face shield or goggles. When using controlled droplet applicator wear protective waterproof clothing and impervious footwear. After use and before eating, drinking or smoking wash hands, arms and face thoroughly with soap and water. After each day's use, wash gloves and face shield or goggles and contaminated clothing.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre. Phone Australia 131126.

MSDS: Additional information is listed in the Material Safety Data Sheet.

#### APVMA Approval No: 63175/1L/0708

Batch No.

DOM

