READ SAFETY DIRECTIONS BEFORE OPENING OR USING

SuréFire



ACTIVE CONSTITUENTS: 5.0 g/kg IMIDACLOPRID 1.0 g/kg (Z)-9-TRICOSENE

Ready-to-use fly bait granules for the control of adult houseflies and lesser houseflies (including organophosphate resistant strains) in commercial, industrial and domestic areas, as per the DIRECTIONS FOR USE

Surefire Flystar Bait contains BITREX, an acutely bitter agent which reduces the possibility of accidental ingestion by children, domestic animals or wildlife.



Contents 2kg







HOLDINGS PTY LTD

APVMA Approval No: 68545/2kg/58549

*FLYSTAR is a registered trademark of PCT INTERNATIONAL PTY LT (PCT Holdings Ptv Ltd ABN 11 099 023 962)

5/74 Murdoch Circuit, Acacia Ridge QLD 4110 • www.pcti.au.com CUSTOMER SERVICE FREECALL 1800 630 877 EMERGENCY RESPONSE (ALL HOURS) FREECALL 1800 630 877

DIRECTIONS FOR USE

Restraint: DO NOT place bait in areas accessible to food producing animals or pets.

SITUATION	PEST	RATE	CRITICAL COMMENTS	
Outside: Abattoirs, animal housing, garbage containers,	Adult houseflies (Musca	2.0 g/m ²	Scatter application: The bait should be scattered (do not put in piles onto dry level surfaces (eg. Pathways, window ledges or in shallow dishes). Avoid extremely dusty areas.	
food processing plants and other industrial and commercial areas.	domestica) and lesser houseflies (Fannia		Bait station application: Set up bait stations by sprinkling into shallow tins, lids or similar containers and place where flies congregate. Position bait stations out of reach of animals or livestock and away from feed troughs,	
Around: Industrial sites, feedlot manure heaps, garbage dumps.	canicularis)		storage or mixing areas. Wet bait: In many situations more flies can be attracted to moist bait. This can be achieved by sprinkling bait on moist hessian sacks (placed out of reach of all livestock) or by lightly moistening bait with a light spray of water.	
			Paint-on application: To prepare a paste for painting, mix 50 g of Surefire Flystar with 37.5 mL of water. 15 minutes after mixing the paste can be applied with a brush to spots where flies rest (e.g. walls, joists, window ledges, stable fixtures). Additionally it can be painted onto hessian bags or sheets of cardboard or fabric which are hung in areas frequented by flies. After use the brush can be cleaned with warm water.	
			Re-baiting: Re-baiting may be necessary in 3-5 days depending on exposure, weather and density of fly populations.	
Inside: Commercial and industrial facilities and animal houses ONLY in areas inaccessible to livestock and domestic animals. Under: Animal and poultry cages ONLY in areas inaccessible to livestock.			Apply as a scatter bait, in bait stations or as a paint-on application as above. Place out of reach of all livestock and away from feed. Re-bait dry bait stations as above.	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS Surefire Flystar Bait can be applied in many locations. Avoid cool or windy locations because flies prefer warm sites for resting. For best results time applications to begin at the start of the season before fly populations have reached their peak.

Fly control should be considered part of an integrated strategy which incorporates good sanitation, appropriate management of breeding sites (eg manure and other decaying organic matter) and exclusion measures for preventing access of flies into internal areas.

NOTE: This product is not attractive to all species of flies and control of non-target species may require other means of control.

Insecticide Resistance Warning

For insecticide resistance management, Surefire Flystar Bait is a Group 4A insecticide. Some naturally occurring insect biotypes resistant to Surefire Flystar and other Group 4A insecticides may exist through normal genetic variability in any insect population. The resistant individuals can eventually dominate the insect population if Surefire Flystar or other Group 4A insecticides are used repeatedly. The effectiveness of Surefire Flystar on resistant individuals could be significantly reduced. Since occurrence of resistant individuals is difficult to detect prior to use, PCT Holdings Pty Ltd accepts no liability for any losses that may result from the failure of Surefire Flystar to control resistant insects.

For further information on managing insecticide resistance contact your local supplier or PCT Holdings Pty Ltd.

PRECAUTIONS

Do NOT allow contact with raw or processed food, utensils or packaging.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

Do NOT place baits in locations accessible to domestic animals, livestock or birds. Do NOT contaminate streams, rivers or waterways with the chemical or used containers Do not scatter bait on manure heaps or dispose of treated sacks/cardboard/fabric with manure. Clean up spillage promptly. Very highly toxic to bees.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Triple or (preferably) pressure rinse containers before disposal. Dispose of rinsings in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product.

Treated sacks, cardboard or fabric may be re-used as necessary. After use they should be disposed of by wrapping in paper, placing in a plastic bag and putting in the garbage.

SAFETY DIRECTIONS

Will irritate the eyes. Avoid contact with the eyes. When using the product wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and rubber gloves and goggles. If product in eyes, wash it out immediately with water. Wash hands after use. After each days use, wash gloves, goggles and contaminated clothing.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre, Phone Australia 13 11 26. New Zealand 03 4747000, MATERIAL SAFETY DATA SHEET Additional information is listed in the Material Safety Data Sheet available from PCT Holdings Pty Ltd.

MANUFACTURER'S WARRANTY AND EXCLUSION OF LIABILITY

This product must be used strictly as directed, and in accordance with all instructions appearing on the label. PCT Holdings Pty Ltd accepts no liability or responsibility for loss or damage arising from incorrect storage, handling or use

APVMA Approval No. 68545/2kg/58549

